EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6349386".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 07:52
L2	5	"523471".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 07:54
L3	1349	710/1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 07:55
L4	956	select$3 output display application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/10/06 07:55
L5	1	l3 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 07:55
L6	81	715/858.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 07:55
L7	131	715/860.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 07:55
S1	3	"9736257"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 06:48

EAST Search History

S2	2	"5339095".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 07:18
S5	56	(input adj unit) with (application adj unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 07:20
S6	38	(input adj unit) with associat$3 with application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 07:25
S9	1	"2005535046"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 08:15
S10	2	input near2 associated near (application program) with launch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 08:21
S11	58	input with associated with (application program) with launch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 08:21
S12	1	multiple with input with associated with (application program) with launch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 08:21

S13	13	link$3 near2 (input button key) near2 (application program) with (launch$3 open$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 08:47
S14	75	(function adj key$2) with (application program) with (launch open)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 08:54
S15	4	assign$3 with (function adj key$2) with (application program) with (launch open)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 08:56
S16	212	assign$3 with (function adj key$2) with (application program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 14:22
S17	296	application adj launcher	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 14:53
S18	141	application adj launcher same one	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 14:53
S19	12	application adj launcher same one with (button key input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 06:08
S21	2	"6349386".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 06:09

S22	2	"5724106".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 06:43
S23	453	detect$3 with activ$5 with input with motion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 06:44
S24	116	detect$3 with activ$5 with input with device with motion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 06:44
S25	0	detect$3 near2 (active activation) near3 input adj device with motion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 06:45
S26	0	detect$3 near2 (active activation) near3 (input adj device) with motion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 06:45
S27	47	(sensing detect$3) with (active activation) with (input adj device) with (motion movement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 06:50
S28	5	(sensing detect$3) with (active activation) with (input adj device) with (motion movement) same (keyboard button)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 06:50
S29	4	determine output signal strength input measure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/10/04 07:42

S30	0	activating output signal strength input measure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/10/04 07:43
S31	8	activating output signal strength input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/10/04 07:48
S32	28	("20030048275"|"5341466"|"5499334"|"5689666"|"5694150"|"5841435"|"5845282"|"5884323"|"6018340"|"6249290"|"6618026"|"6917348"|"6980175").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/10/04 09:05
S33	45	"0034891"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/10/04 09:12
S34	956	select$3 output display application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/10/04 09:09
S38	33	multiple adj (monitor display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/10/04 09:30
S39	0	multiple adj (monitor display) input adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/10/04 09:31
S40	0	multiple adj (monitor display) active	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/10/04 09:30

EAST Search History

S41	2	(multiple adj (monitor display)) active	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/10/04 09:31
S42	314	(multiple adj (monitor display)) same active	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 09:31
S43	21	(multiple adj (monitor display)) with (input adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 09:32
S44	1	(multiple adj (monitor display)) with (input adj signal) same application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 09:32
S45	1140	display$3 with (application program) with (mouse input) with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 11:18
S46	304	display$3 near3 (application program) with (mouse input) with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 11:20
S47	12	(dual multiple) with display$3 near3 (application program) with (mouse input) with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:14
S48	2	"5874956".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:34

S49	7	"642144".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:34
S50	3	(multi adj display) with (cursor mouse) with (close$3 near$3) with (location proximity distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 06:50
S51	278	(display) with (cursor mouse) with (close$3 near$3) with (location proximity distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 06:50
S52	75	(display) with (cursor mouse) with (close$3 near$3) with (location proximity distance) same (application program object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 06:54
S53	151040	(multiple two many multi) adj (display screen monitor output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 07:10
S54	9	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 07:13
S55	3510	(monitor screen display) with (mouse cursor) near2 (rest$3 resid$3 in locate$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 07:15
S56	1066	(monitor screen display) near2 (mouse cursor) near2 (rest$3 resid$3 in locate$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 07:15

EAST Search History

S57	0	(monitor screen display) near2 (mouse cursor) near2 (rest$3 resid$3 in locate$2) with which	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 07:15
S58	14	(monitor screen display) near2 (mouse cursor) near2 (rest$3 resid$3 in locate$2) same (multiple two numerous many multi) adj (monitor screen display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 07:28
S59	7	"816424".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 08:15
S60	2	"20020002490".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 08:16
S61	13	(sensing detect$3) near2 input near2 (unit device signal) same ((multiple multi) adj (screen display monitor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 08:21
S62	9	(sensing detect$3) near2 (cursor mouse) same ((multiple multi) adj (screen display monitor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 08:48
S63	2	"6069615".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 08:25
S64	441	measur$4 adj signal adj input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 08:48

S65	13	measur$4 adj signal adj input with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 08:49

Google

function keys launch applications   **Search**   Advanced Search
Preferences
New! View and manage your web history

Web   Results **1 - 10** of about **1,830,000** for <u>function keys launch applications</u>. **(0.19** seconds)

macosxhints.com - One Key - Launch apps via function keys
If you like to use the **function keys** to **launch applications** and documents, get One **Key**
now. Implemented as a very simple preference panel, you can assign ...
www.macosxhints.com/article.php?story=20030224071041185 - 49k -
<u>Cached</u> - <u>Similar pages</u>

OneFinger ToGet - One touch to launch programs, insert frequently ...
With our unique SmartTip and Multiple **function key** stroke technology, you can create and
manage unlimited number of **launch** pad, symbol table, address books, ...
www.acqsoft.com/onefinger-toget/index.php - 18k - <u>Cached</u> - <u>Similar pages</u>

LAUNCH KEY, LOW POWER CD-ROM PLAYER FOR PORTABLE COMPUTERS ...
Programmable **function keys** (36) are provided to permit users to define associated
applications with the **function keys** to initiate **launching** of the ...
www.freepatentsonline.com/EP1218882.html - 29k - <u>Cached</u> - <u>Similar pages</u>

Function Keys Mapper
You want to quickly **launch** any **application**, open any file or any folder with the F1 to F16
function keys of your keyboard? ...
alphaomega.software.free.fr/**functionkeys**mapper/Documentation/Documentation.html - 9k
- <u>Cached</u> - <u>Similar pages</u>

everyday software : one key
Do you miss being able to actually use the **function keys** on your keyboard to **launch**
applications & open files with them? If so, One **Key** is for you. ...
www.everydaysoftware.net/onekey/index.html - 5k - <u>Cached</u> - <u>Similar pages</u>

Macromedia compatibility with Apple Macintosh OS X v 10.3 (Panther)
Issue: **Applications** will not **launch** after upgrading to Panther topic update: 11/5/03 ...
Issue: **Function keys** are not available to **applications** ...
kb.adobe.com/selfservice/viewContent.do?externalId=tn_18972&sliceId=2 - 31k -
<u>Cached</u> - <u>Similar pages</u>

SC-QuickStart - Start tasks and applications with ease
Now you can **launch** your favorite tasks and programs using ... Hotkeys are system wide
function keys that can be linked to any QuickStart object. ...
www.soft-central.net/quickstart.php - 18k - <u>Cached</u> - <u>Similar pages</u>

Keyboard Maestro 2 Documentation: Macro Examples
Use **function keys** to **launch** or switch to your most used **applications**. For example, you
probably often switch to the Finder, your Email client, ...
www.keyboardmaestro.com/documentation/2/macroexamples.html - 15k -
<u>Cached</u> - <u>Similar pages</u>

Keyboard Maestro 2 Documentation: Tips
Be consistent in your choice of Hot **Keys**. For example, use **function keys** to **launch**
applications, control-**function keys** to open documents, control-letter to ...
www.keyboardmaestro.com/documentation/2/tips.html - 9k - <u>Cached</u> - <u>Similar pages</u>

Time based hardware button for application launch - US Patent 6727830
Time based hardware button for **application launch** - US Patent 6727830 from ... A default
function for an **application** is launched if the button is pressed ...
www.patentstorm.us/patents/6727830.html - 16k - <u>Cached</u> - <u>Similar pages</u>

PORTAL
USPTO

Search: ◉ The ACM Digital Library   ○ The Guide

"application launcher"

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used: **application launcher**

Found **25 of 212,128**

| Sort results by | relevance ▼ |
| Display results | expanded form ▼ |

◆ **Save results to a Binder**
② **Search Tips**
☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 20 of 25   Result page: **1** 2 next

Relevance scale ☐ ▭ ▨ ▨ ▨

1 Technical Session: Supporting ubiquitous computing through directory enabled technologies   ▨
Michael Richichi, Paul Coen
October 2001 **Proceedings of the 29th annual ACM SIGUCCS conference on User services SIGUCCS '01**
Publisher: ACM Press

Full text available: 📄 pdf(285.27 KB)   Additional Information: full citation, abstract, references, citings, index terms

Drew has been providing computers to students since 1984. Many universities have ubiquitous computing programs where students receive a laptop computer as part of their educational package. These programs reduce the dependence on and management issues of traditional computer labs, and allow 24x7 computing access to every student at the University. Drew also provides Novell Directory Services (NDS) accounts to all of these students, and utilizes Novell ZENworks to customize software, personalize ...

Keywords: LDAP, ZENworks, directory services, eDirectory, laptop programs, management, ubiquitous computing

2 E-mail rollout: migrating from cc:Mail to Netscape internet based e-mail   ▨
Jeffrey A. Jones
November 1999 **Proceedings of the 27th annual ACM SIGUCCS conference on User services: Mile high expectations SIGUCCS '99**
Publisher: ACM Press
Full text available: 📄 pdf(36.74 KB)   Additional Information: full citation, references, index terms

Keywords: IMAP 4 e-mail, Microsoft Access, Netscape Communicator, cold fusion, computer training, dynamic HTML, internet

3 Cooking with Linux: Launch, not lunch platforms!   ▨
Marcel Gagné
August 2001 **Linux Journal**, Volume 2001 Issue 88
Publisher: Specialized Systems Consultants, Inc.
Full text available: 📄 html(13.02 KB)   Additional Information: full citation, index terms

4 A secure execution framework for Java   ▨
Manfred Hauswirth, Clemens Kerer, Roman Kurmanowytsch
November 2000 **Proceedings of the 7th ACM conference on Computer and**